


MATERIAL SAFETY DATA SHEET

PRODUCT NAME: DURA-FLEX ACCELERATOR



PERSONAL PROTECTION (SECTION VIII)

HMIS HAZARD RATING
LEAST ---0 SLIGHT- 1
MODERATE---2 HIGH---3
EXTREME---4

SECTION I - IDENTIFICATION

NAME: Silvertree Products LLC

ADDRESS: 1615 Fletcher Ave. Ft. Wayne, In. 46803

INFORMATION PHONE: 260-426-2474

DATE REVISED: MARCH 2005

EMERGENCY CONTACT (CHEMTREC): 800-424-9300

SECTION I - HAZARDOUS INGREDIENTS/SARA I INFORMATION

HAZARDOUS COMPONENTS	OCCUPATIONAL EXPOSURE LIMITS	CAS NUMBER	OSHA PEL	ACGIH TLV	MFG TLV	mm Hg @ TEMP	VAPOR PRESSURE
ALDIMINE		54914-37-3	N/E		N/E		N/E

* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372. Information concerning non-hazardous ingredients is considered a Trade Secret.

SECTION I - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 200⁰C (392⁰F)

SPECIFIC GRAVITY: (H₂O=1): 0.867

COATING V.O.C: N/A

VAPOR DENSITY: N/A

EVAPORATION RATE: N/A

SOLUBILITY IN WATER: REACTS SLOWLY

APPEARANCE AND ODOR: PALE YELLOW LIQUID, AMINE LIKE ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 93⁰C (200⁰F)

METHOD USED: TCC

FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/E

UPPER: N/E

EXTINGUISHING MEDIA: DRY CHEMICAL, FOAM, CARBON DIOXIDE AND WATER SPRAY.

SPECIAL FIRE FIGHTING PROCEDURES: BURNING WILL PRODUCE TOXIC FUMES. WEAR NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE MODE WITH FULL FACE PIECE, BOOTS, GLOVES (NEOPRENE), GOGGLES AND FULL PROTECTIVE CLOTHING ARE ALSO REQUIRED. EXCESSIVE PRESSURE OR TEMPERATURE MAY CAUSE EXPLOSIVE RUPTURE OF CONTAINERS.

UNUSUAL FIRE AND EXPLOSION HAZARDS: SUDDEN REACTION AND FIRE MAY RESULT WHEN THE PRODUCT IS EXPOSED TO OXIDIZING AGENTS. EXPOSURE TO HEAT BUILDS UP PRESSURE IN CLOSED CONTAINERS. COOL WITH WATER SPRAY.

SECTION V - REACTIVITY DATA

STABILITY: STABLE UNDER NORMAL CONDITIONS

CONDITIONS TO AVOID: HEAT, HIGH TEMPERATURE, OPEN FLAME, SPARKS, AND MOISTURE.

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDANTS; STRONG ACIDS.

HAZARDOUS DECOMPOSITION OR BY-PR HAZARDOUS POLYMERIZATION: ODUCTS:

BURNING WILL PRODUCE TOXIC FUMES. WILL NOT OCCUR.

SECTION VI - HEALTH HAZARD

DATA

SKIN CONTACT: PROLONGED CONTACT CAN CAUSE CHEMICAL BURN AND SCARRING. **EYE CONTACT:** CAN INDUCE IRRITATION OR CHEMICAL BURNS ON CONTACT WITH EYES. **SKIN ABSORPTION:** PRODUCT MAY BE ABSORBED THROUGH SKIN AND CAUSE NAUSEA, HEADACHE, AND GENERAL DISCOMFORT.

INGESTION: IRRITATION OR CHEMICAL BURNS OF THE MOUTH, PHARYNX, ESOPHAGUS AND STOMACH CAN DEVELOP FOLLOWING INGESTION, AND INJURY MAY BE SEVERE.

INHALATION: VAPORS CAN IRRITATE EYES, NOSE AND RESPIRATORY PASSAGES. SEVERE OVEREXPOSURE MAY INDUCE RESPIRATORY SENSITIZATION WITH ASTHMA LIKE SYMPTOMS. SYMPTOMS INCLUDE CHRONIC COUGH, TIGHTNESS OF CHEST WITH DIFFICULTY IN BREATHING. THESE SYMPTOMS MAY BE IMMEDIATE OR DELAYED UP TO SEVERAL HOURS AFTER EXPOSURE. CHRONIC EXPOSURES MAY RESULT IN PERMANENT DECREASES IN LUNG FUNCTION.

HEALTH HAZARDS: ACUTE: EXPOSURE MAY CAUSE SKIN AND EYE IRRITATION, RESPIRATORY TRACT IRRITATION, CHEMICAL BURNS MAY RESULT DUE TO OVEREXPOSURE. AFFECTS OF EXPOSURE MAY BE DELAYED. **CHRONIC:** REPEATED AND PROLONGED EXPOSURE AT LOW LEVELS MAY RESULT IN ADVERSE SKIN AND EYE EFFECTS, LIVER AND KIDNEY DISORDERS.

CARCINOGENICITY: NTP: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: CARDIOVASCULAR DISEASE, ASTHMA OR ASTHMATIC BRONCHITIS, SKIN ALLERGIES, CHRONIC RESPIRATORY DISEASE, SINUSITIS, HEADACHE, DIZZINESS, EYE DISEASES.

EMERGENCY AND FIRST AID PROCEDURES: EYE CONTACT: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER. AFTER INITIAL FLUSHING. REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING FOR AT LEAST 15 MINUTES. HAVE EYES EXAMINED AND TREATED BY MEDICAL PERSONNEL. **INHALATION:** REMOVE VICTIM TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. PREFERABLY MOUTH-TO-MOUTH. IF BREATHING IS LABORED. GIVE OXYGEN. CONSULT MEDICAL PERSONNEL. **SKIN CONTACT:** WASH MATERIAL OFF OF THE SKIN WITH PLENTY OF SOAP AND WATER. IF REDNESS, ITCHING, OR A BURNING SENSATION DEVELOPS, GET MEDICAL ATTENTION. WASH CONTAMINATED CLOTHING AND DECONTAMINATE FOOTWEAR BEFORE REUSE. **INGESTION:** DO NOT INDUCE VOMITING. GIVE 1 OR 2 GLASSES OF WATER TO DRINK AND REFER PERSON TO MEDICAL PERSONNEL. (NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON).

SECTION VI - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WEAR SKIN, EYE, AND RESPIRATORY PROTECTION DURING CLEANUP. SOAK UP MATERIAL WITH ABSORBENT AND SHOVEL INTO A CHEMICAL WASTE CONTAINER. COVER CONTAINER. BUT DO NOT SEAL. AND REMOVE FROM WORK AREA. RESIDUES FROM SPILL CLEANUP, MAY CONTINUE TO BE REGULATED UNDER PROVISIONS OF RCRA AND REQUIRE STORAGE AND DISPOSAL AS HAZARDOUS WASTE. FOR MAJOR SPILLS. CALL CHEMTREC (CHEMICAL TRANSPORTATION EMERGENCY CENTER) AT 800-424-9300.

WASTE DISPOSAL METHOD: RESIDUES MAY STILL BE SUBJECT TO RCRA STORAGE AND DISPOSAL REQUIREMENTS. DISPOSE OF IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE IN TIGHTLY SEALED CONTAINERS TO PROTECT FROM ATMOSPHERIC MOISTURE. STORE IN A COOL DRY AREA. THE MATERIAL IS COMBUSTIBLE: THE COMBUSTION PRODUCTS MAY BE HAZARDOUS. DO NOT EXPOSE THIS MATERIAL TO OPEN FLAMES.

OTHER PRECAUTIONS: PREVENT SKIN AND EYE CONTACT. OBSERVE TLV LIMITATIONS. AVOID BREATHING VAPORS. WORKERS SHOULD SHOWER AND CHANGE TO FRESH CLOTHING AFTER EACH SHIFT. INDIVIDUALS WITH EXISTING RESPIRATORY DISEASE SUCH AS CHRONIC BRONCHITIS, EMPHYSEMA, OR ASTHMA SHOULD NOT BE EXPOSED. THESE INDIVIDUALS SHOULD BE IDENTIFIED THROUGH BASELINE AND ANNUAL EVALUATION AND REMOVED FROM FURTHER EXPOSURE. MEDICAL EXAMINATION SHOULD INCLUDE MEDICAL HISTORY, VITAL CAPACITY, AND FORCED EXPIRATORY VOLUME AT ONE SECOND.

SECTION VI - CONTROL MEASURES

VENTILATION: USE LOCAL EXHAUST VENTILATION TO KEEP AIRBORNE CONCENTRATIONS BELOW THE TLV. FOLLOW GUIDELINES IN THE ACGIH PUBLICATION "INDUSTRIAL VENTILATION".

RESPIRATORY PROTECTION: IF AIRBORNE CONCENTRATIONS EXCEED OR ARE EXPECTED TO EXCEED THE TLV, USE MSHA/NIOSH APPROVED POSITIVE PRESSURE SUPPLIED AIR RESPIRATOR WITH A FULL FACE PIECE OR AN AIR SUPPLIED HOOD. FOR EMERGENCIES, USE A POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS.

PROTECTIVE CLOTHING: GLOVES DETERMINED TO BE IMPERVIOUS UNDER THE CONDITIONS OF USE SHOULD BE WORN ALWAYS WHEN WORKING WITH THIS PRODUCT. DEPENDING ON CONDITIONS OF USE, ADDITIONAL PROTECTION MAY BE REQUIRED SUCH AS APRON, ARM COVERS, OR FULL BODY SUIT. WASH CONTAMINATED CLOTHING BEFORE REWEARING. PROTECTIVE CLOTHING SHOULD BE SELECTED AND USED IN ACCORDANCE WITH "GUIDELINES FOR THE SELECTION OF CHEMICAL PROTECTIVE CLOTHING" PUBLISHED BYACGIH.

EYE PROTECTION: CHEMICAL TIGHT GOGGLES OR FULL FACE SHIELD.

OTHER PROTECTIVE EQUIPMENT AND MEASURES: AS A GENERAL HYGIENIC PRACTICE, WASH HANDS AND FACE AFTER USE. SHOWERS AND CLEANING OF CLOTHES ARE RECOMMENDED.

SECTION IX-REGULATORY INFORMATION

DOT PROPER SHIPPING NAME: CORROSIVE LIQUID, N.O.S. (CONTAINS AMINE), 8, UN 1760, PG III.

STATE REGULATIONS: CALIFORNIA - AS PER REQUIREMENTS OF THE SAFE DRINKING WATER & TOXIC ENFORCEMENT ACT OF CA. U.S.A. 1985 (PROPOSITION 65). THE PUBLIC IS WARNED THAT MATERIALS USED IN THIS PRODUCT MAY CREATE AN EXPOSURE TO CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. BIRTH DEFECTS. OR OTHER REPRODUCTIVE HARM. THIS WARNING REQUIRED BY SECTION 25249.6 OF THE CALIFORNIA HEALTH AND SAFETY CODE.

TOXIC SUBSTANCE CONTROL ACT: ALL CHEMICALS COMPRISING THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.

USER'S RESPONSIBILITY: A BULLETIN SUCH AS THIS CANNOT BE EXPECTED TO COVER ALL POSSIBLE INDIVIDUAL SITUATIONS. AS THE USER HAS THE RESPONSIBILITY TO PROVIDE A SAFE WORKPLACE, ALL ASPECTS OF AN INDIVIDUAL OPERATION SHOULD BE EXAMINED TO DETERMINE IF, OR WHERE, PRECAUTIONS, IN ADDITION TO THOSE DESCRIBED HEREIN, ARE REQUIRED. ANY HEALTH HAZARD AND SAFETY INFORMATION HEREIN SHOULD BE PASSED ON TO YOUR CUSTOMERS OR EMPLOYEES, AS THE CASE MAY BE.

DISCLAIMER: THE INFORMATION CONTAINED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ACCURATE AND CURRENT AS OF THE DATE OF THIS MSDS. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. ALL CHEMICALS MAY PRESENT UNKNOWN HEALTH HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS WHICH EXIST. FINAL DETERMINATION OF SUITABILITY OF THE CHEMICAL IS THE SOLE RESPONSIBILITY OF THE USER. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION CONTAINED HEREIN OR THE CHEMICAL TO WHICH THE INFORMATION REFERS. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.